

SUBJECT INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S003-4878(99)00096-4

- Aerodynamic diameter**, Mineral fibre sampling and size selection 117-124
- Agriculture**, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35-42
- Airborne contaminants**, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67-76
- Airborne fibres**, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527-541
- Amosite**, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527-541
- Amphibole**
 Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493-496^L, 496-498^L
 My amphibole fibre exposure 285-286^L
- Antioxidants**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Arsenic**, Exposure to preservatives used in the industrial pre-treatment of timber 543-555
- Asbestos**
 1998 and beyond - Legge's legacy to modern occupational health 1-6
 Chrysotile, tremolite and fibrogenicity 439-442
 Expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57-66
 Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493-496^L, 496-498^L
 Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527-541
 My amphibole fibre exposure 285-286^L
- Benzoquinone**, Determination of hydroquinone in air by high performance liquid chromatography 131-141
- Bioaerosols**, Field testing of a personal size-selective bioaerosol sampler 393-404
- Biological monitoring**, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125-130
- Breathing-zone concentrations**, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67-76
- California**, Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35-42
- CAPTIV**, Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221-233
- Checklist**, Measuring housekeeping in manufacturing industries 91-97
- Cherry, Nicola**, President of the BOHS 1998-1999 81
- China**, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377-379
- Chromium**
 1998 and beyond - Legge's legacy to modern occupational health 1-6
 Exposure to preservatives used in the industrial pre-treatment of timber 543-555
- Chrysotile**
 Chrysotile, tremolite and fibrogenicity 439-442
 Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493-496^L, 496-498^L
 Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527-541
- Clothing** *see* Protective clothing
- Cluster analysis**, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43-55
- Coal dust**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Collagens**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Compensation**
 1998 and beyond - Legge's legacy to modern occupational health 1-6
 An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases 57-66
- Construction**, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443-456
- Contact dermatitis**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Convection**, Clothing convective heat exchange - proposal for improved prediction in standards and models 329-337
- Copper**, Exposure to preservatives used in the industrial pre-treatment of timber 543-555

- CS₂-exposure**, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125-130
- Cytokines**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Dermal absorption**, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405-413
- Dermal exposure**, Exposure to preservatives used in the industrial pre-treatment of timber 543-555
- Derogated products**, Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres 493-496^L, 496-498^L
- Developing countries**, Occupational hygiene in developing countries: something to talk about? 510-503
- Diethylstilbestrol**, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435-437
- Distribution test**, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
- Dummy head and torso**, Measuring the noise attenuation of shotblasting helmets 471-484
- Dust control**
Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221-233
Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443-456
- Dustiness**, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557-566
- Dust(s)**
Comparative personal exposures to organic dusts and endotoxin 107-115
IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431-432^b
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35-42
- Electrical utility workers**, Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485-492
- Electromagnetic fields**
ELF health effects olympics: invited editorial 217-219
Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485-492
- Empirical models**, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525
- Endocrine disrupting chemicals**, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435-437
- Endotoxin**
Comparative personal exposures to organic dusts and endotoxin 107-115
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35-42
- Environmental risk factors**, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377-379
- Ergonomics**, Advances in occupational ergonomics and safety 2 215^b
- Erratum** 499
- Exposure assessment**
Application of mixed models to assess exposures monitored by construction workers during hot processes 457-469
Refinements in magnetic field exposure assignment for a case-cohort study of electrical utility workers 485-492
Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377-379
- Exposure correlation**, Correlation of the exposure to a pollutant with a task-related action or workplace: the CAPTIV system 221-233
- Exposure factors**, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99-109
- Exposure reconstruction**, Validation of a new method for structured subjective assessment of past concentrations 235-245
- Exposure research**, Inventory of recent and ongoing occupational exposure research 498^L
- Extra-low frequency (ELF)**, The ELF health effects olympics: invited editorial 217-219
- Fatty acid esters**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Fibre analyser monitor**, Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France) 527-541
- Fibreglass**, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43-55
- Fibre(s)**
Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143-153
Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505-511
Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167-179
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155-166
Mineral fibre sampling and size selection 117-124
Validation of a new method for structured subjective assessment of past concentrations 235-245
- Fibrosis**, Chrysotile, tremolite and fibrogenicity 439-442
- Filtration**, Evaporation of accumulated multicomponent liquids from fibrous filters 181-192; erratum 499
- Fit factor**, The effects of strapped spectacles on the fit factors of three manufactured brands of

- full facepiece negative pressure respirators 193-199
- Fit test**, Respirator leakage in the pharmaceutical industry of northwest England 513-517
- Flame protective clothing**, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
- Fume cupboard**, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257-267
- Gas tracer**, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257-267
- Glass fibre**, Hierarchical cluster analysis applied to workers' exposures in fiberglass insulation manufacturing 43-55
- Glove**, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405-413
- Heat balance**, Heat balance when wearing protective clothing 289-296
- Heat exchange**, Clothing convective heat exchange - proposal for improved prediction in standards and models 329-337
- Heat strain**, Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309-319
- Heat stress**
Effects of wind and human movement on the heat and vapour transfer properties of clothing 347-352
Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
Heat stress and protective clothing: an emerging approach from the United States 321-327
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297-308
Protective clothing and heat stress: introduction 287-288
Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353-356
- Heat transfer**, Clothing evaporative heat resistance - proposal for improved representation in standards and models 339-346
- Helmets**, Measuring the noise attenuation of shotblasting helmets 471-484
- High performance liquid chromatography**, Determination of hydroquinone in air by high performance liquid chromatography 131-141
- Historical exposure**, Validation of a new method for structured subjective assessment of past concentrations 235-245
- Hormone**, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435-437
- Horticulture**, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525
- Hot processes**, Application of mixed models to assess exposures monitored by construction workers during hot processes 457-469
- Housekeeping**, Measuring housekeeping in manufacturing industries 91-97
- Human heat exchange**, The role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353-356
- Hydroquinone**, Determination of hydroquinone in air by high performance liquid chromatography 131-141
- India**, Occupational exposure to dust in quartz manufacturing industry 269-273
- Inhalable wood dust**, A field comparison of inhalable and thoracic size selective sampling techniques 381-392
- INSPEC**, Mineral fibre sampling and size selection 117-124
- Insulation**
Clothing convective heat exchange - proposal for improved prediction in standards and models 329-337
Heat balance when wearing protective clothing 289-296
- International standards**
Clothing convective heat exchange - proposal for improved prediction in standards and models 329-337
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339-346
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297-308
Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353-356
- Intraperitoneal injection**, Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155-166
- Isocyanates**, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415-419
- Kenya**, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525
- KI-discus**, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257-267
- Latex allergy**, Evaluation of the quality of surgical gloves among four different manufactures 275-281
- Lead**, 1998 and beyond - Legge's legacy to modern occupational health 1-6
- Legge, Thomas**, 1998 and beyond - Legge's legacy to modern occupational health 1-6
- Lithographic printing industry**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Lumber mill**, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247-255
- Lung cancer**, Chrysotile, tremolite and fibrogenicity 439-442

- Lung tumours**, Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167-179
- Man-made mineral fibre**, Validation of a new method for structured subjective assessment of past concentrations 235-245
- Manganese**, Application of mixed models to assess exposures monitored by construction workers during hot processes 457-469
- Manufacturing industries**, Measuring housekeeping in manufacturing industries 91-97
- MDI**, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415-419
- Mesothelioma**
Chrysotile, tremolite and fibrogenicity 439-442
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155-166
- Metalworking fluids**, Evaporation of accumulated multicomponent liquids from fibrous filters 181-192; erratum 499
- Methylene-bis (4-phenylisocyanate) (MDI)**, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415-419
- Mine rescue**, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
- Mixed models**, Application of mixed models to assess exposures monitored by construction workers during hot processes 457-469
- Monoterpenes**, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247-255
- Murray, Bob**, Obituary 283
- Nicotine**, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405-413
- Noise attenuation**, Measuring the noise attenuation of shotblasting helmets 471-484
- Normal distribution**, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
- Norway**, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
- Obituary**
Dr Bob Murray 283
Professor Richard Schilling 77
- Obstructive lung disease**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Occupational cohort studies**, Retrospective exposure assessment in large occupational cohort studies in China: advantages and concerns 377-379
- Occupational contact dermatitis**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Occupational exposure**
Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
Field comparison of inhalable and thoracic size selective sampling techniques 381-392
- IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431-432^b
- Inventory of recent and ongoing occupational exposure research 498^L
- Occupational health**, A challenging life: sixty years in occupational health 79^b
- Occupational hygiene**, Occupational hygiene in developing countries: something to talk about? 510-503
- Oil mist**, Evaporation of accumulated multicomponent liquids from fibrous filters 181-192; erratum 499
- Organic dust**, Comparative personal exposures to organic dusts and endotoxin 107-115
- Organic solvent cleaning agents**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Particulates**, Application of mixed models to assess exposures monitored by construction workers during hot processes 457-469
- Permeability**, *In vitro* test of nicotine's permeability through human skin. Risk evaluation and safety aspects 405-413
- Permethrin**, Exposure to preservatives used in the industrial pre-treatment of timber 543-555
- Personal protective equipment**, Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309-319
- Personal samplers**, Field testing of a personal size-selective bioaerosol sampler 393-404
- Pesticides**
Exposure to preservatives used in the industrial pre-treatment of timber 543-555
Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525
- Pharmaceuticals**, Respirator leakage in the pharmaceutical industry of northwest England 513-517
- Pneumoconiosis**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Polyurethane foam**, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415-419
- Porous foams**, Field testing of a personal size-selective bioaerosol sampler 393-404
- Potassium iodide tracer**, Theoretical and practical comparison of the potassium iodide tracer method (KI-Discus) for assessing the containment efficiency of fume cupboards with the gas tracer method described in BS 7258: 1994: Part 4 257-267
- Potassium titanate**, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505-511
- Printing industry**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Proteases**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Protective clothing**
Clothing convective heat exchange - proposal for improved prediction in standards and models 329-337
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339-346

- Development of a draft British Standard: the assessment of heat strain for workers wearing personal protective equipment 309-319
- Effects of wind and human movement on the heat and vapour transfer properties of clothing 347-352
- Heat balance when wearing protective clothing 289-296
- Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
- Heat stress and protective clothing: an emerging approach from the United States 321-327
- International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297-308
- Protective clothing and heat stress: introduction 287-288
- Role of performance tests, manikins and test houses in defining clothing characteristics relevant to risk assessment 353-356
- Strategy for evaluation and prevention of risk due to work in thermal environments 367-376
- Pulmonary biopersistence**, Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143-153
- Quality control**, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125-130
- Quantitative fit tests**, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193-199
- Quarrying**, Occupational exposure to dust in quartz manufacturing industry 269-273
- Quartz**, Occupational exposure to dust in quartz manufacturing industry 269-273
- Quasi log-normality**, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
- Quebec**, Chrysotile, tremolite and fibrogenicity 439-442
- Ranking exposures**, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201-213
- Reactive oxygen species**, Mechanisms and mediators in coal dust induced toxicity: a review 7-33
- Rectal temperature**, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
- Reinforced plastics**, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99-109
- Reproduction**, Endocrine disrupting chemicals and human reproduction: fact or fiction? 435-437
- Rescue**, Heat stress and flame protective clothing in mine rescue brigadesmen: inter- and intraindividual variation of strain 357-365
- Resin acids**, Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247-255
- Respirable dust**, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443-456
- Respirator fit testing**, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193-199
- Respirator leakage**, Respirator leakage in the pharmaceutical industry of northwest England 513-517
- Risk assessment**, Strategy for evaluation and prevention of risk due to work in thermal environments 367-376
- Rotating drum**, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557-566
- RPE**, Respirator leakage in the pharmaceutical industry of northwest England 513-517
- Safety**, Advances in occupational ergonomics and safety 2 215^b
- Sampling strategy**, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201-213
- Saws**, Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443-456
- Schilling, Professor Richard**
A challenging life: sixty years in occupational health 79^b
Obituary 77
- Shotblasting**, Measuring the noise attenuation of shotblasting helmets 471-484
- Silica**
Measurements of the effectiveness of dust control on cut-off saws used in the construction industry 443-456
Occupational exposure to dust in quartz manufacturing industry 269-273
Personal exposure to dust, endotoxin and crystalline silica in California agriculture 35-42
- Silicon carbide**, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505-511
- Size-selective sampling**, Field testing of a personal size-selective bioaerosol sampler 393-404
- Size-separation**, Mineral fibre sampling and size selection 117-124
- Skewness**, Distribution and skewness of occupational exposure sets of measurements in the Norwegian industry 421-428
- Solvent**, Substitution of organic solvent cleaning agents in the lithographic printing industry 83-90, 429^L, 430^L
- Spectacles**, The effects of strapped spectacles on the fit factors of three manufactured brands of full facepiece negative pressure respirators 193-199
- Spray foam**, Exposure to MDI during the process of insulating buildings with sprayed polyurethane foam 415-419
- Spray-painting**, Modeling breathing-zone concentrations of airborne contaminants generated during compressed air spray painting 67-76
- Sprayers**, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525

- Styrene**, An investigation of factors contributing to styrene and styrene-7,8-oxide exposures in the reinforced-plastics industry 99-109
- Surface adhesion**, The rotating drum dustiness tester: variability in dustiness in relation to sample mass, testing time, and surface adhesion 557-566
- Surface roughness**, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505-511
- Surgical gloves**, Evaluation of the quality of surgical gloves among four different manufactures 275-281
- Taiwan**, Evaluation of the quality of surgical gloves among four different manufactures 275-281
- Task specific exposures**, Computational method for ranking task-specific exposures using multi-task time-weighted average samples 201-213
- Thermal conditions**, Strategy for evaluation and prevention of risk due to work in thermal environments 367-376
- Thermal indices**, Strategy for evaluation and prevention of risk due to work in thermal environments 367-376
- Thermal strain**
International standards for the assessment of the risk of thermal strain on clothed workers in hot environments 297-308
see also Heat stress
- 2-Thiothiazolidine-4-carboxylic acid**, Preliminary external quality assessment for the biological monitoring of carbon disulfide with urinary 2-thiothiazolidine-4-carboxylic acid 125-130
- Thoracic wood dust sample**, A field comparison of inhalable and thoracic size selective sampling techniques 381-392
- Threshold limit value**, Heat stress and protective clothing: an emerging approach from the United States 321-327
- Timber preservatives**, Exposure to preservatives used in the industrial pre-treatment of timber 543-555
- Tobacco**, Identification of determinants of pesticide exposure among Kenyan agricultural workers using empirical modelling 519-525
- Toxicity**, IEH Report on: Approaches to predicting toxicity from occupational exposure to dusts 431-432^b
- Tremolite**, Chrysotile, tremolite and fibrogenicity 439-442
- United States of America**, Heat stress and protective clothing: an emerging approach from the United States 321-327
- Upper limb disorders**, 1998 and beyond - Legge's legacy to modern occupational health 1-6
- Vapour transfer**
Clothing evaporative heat resistance - proposal for improved representation in standards and models 339-346
Effects of wind and human movement on the heat and vapour transfer properties of clothing 347-352
- Vitreous**
Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months 143-153
Influence of characteristics of inhaled fibres on development of tumours in the rat lung 167-179
Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity 155-166
- Whiskers**, Evaluation of surface roughness of fibrous minerals by comparison of BET surface area and calculated one 505-511
- Wind**, The effects of wind and human movement on the heat and vapour transfer properties of clothing 347-352
- Wood dust**
Determinants of exposure to inhalable particulate, wood dust, resin acids, and monoterpenes in a lumber mill environment 247-255
Field comparison of inhalable and thoracic size selective sampling techniques 381-392

AUTHOR INDEX

b = Book review; *L* = Letter to the Editor; *sc* = Short Communication

PII: S003-4878(99)00097-6

- Addison, J. 496^L
 Bartlett, I.W. 83, 429^L
 Bernard, T.E. 321
 Besson, P. 527
 Blazicko, B.A. 67
 Boleij, J.S.M. 519
 Bolton, R.E. 155
 Borm, P.J.A. 7, 431^b
 Bowry, A. 393
 Braeckman, L. 125
 Brand, F. 221
 Bresser, G. 357
 Breum, N.O. 557
 Brown, R.C. 443
 Buchanan, D. 143, 155, 167
 Bulat, P. 125
 Burdorf, A. 57, 435
 Burgess, G.L. 513

 Cai, J. 485
 Carlton, G.N. 67
 Carter, T. 79^b
 Cherrie, J.W. 235, 498^L
 Clark, R.P. 257
 Crespo, J. 415
 Crockford, G.W. 287
 Crook, B. 393
 Cullen, R.T. 143, 155, 167

 Daemen, E. 125
 Dalton, A.J.P. 83
 Davies, H.W. 247, 381
 Davis, J.M.G. 155, 167
 de Bacquer, D. 125
 de Calcina-Goff, M. 257
 Demers, P.A. 247, 381
 den Hartog, E.A. 339
 Donaldson, K. 155, 167
 Dosemeci, M. 377
 Du Toit, R.S.J. 285^L
 Dufort, V. 485
 Dufort, V.M. 91
 Dunn, K.H. 67

 Esmen, N.A. 201

 Fletcher, A.M. 107
 Flynn, M.R. 67
 Francis, H.C. 107
 Fulekar, M.H. 269

 Galán, J. 415
 Garrod, A.N.I. 543
 Gatano, B.L. 67
 Gebhardt, H.J. 367
 Giacomelli, G.M. 117
 Gibson, M.J. 443
 Groves, J.A. 131
 Guyot, F. 527

 Hammond, S.K. 43
 Hanson, M.A. 309
 Hardgrove, R. 193
 Harrington, J.M. 1
 Havenith, G. 289, 329, 339, 347
 Héroux, P. 217
 Holmér, I. 329, 339, 347, 353
 Howie, R.M. 493^L
 Hughes, J.M. 439
 Hwang, K.-L. 275

 Infante-Rivard, C. 91
 Irving, F. 471

 Jones, A.D. 143, 167

 Kampmann, B. 357
 Karumba, P.N. 519
 Kennedy, S.M. 247
 Kenny, L.C. 393
 Kleckner, R.C. 485
 Kohyama, N. 505
 Kou, S.-J. 275
 Kromhout, H. 485, 501, 519
 Kupper, L. 457
 Kupper, L.L. 99
 Kuylenstierna, F. 405

 Lalanne, F.X. 527
 Leith, D. 181, 499
 Leung, V. 247
 Loomis, D. 485
 Lovesey, E.J. 215^b
 Lu, Y.-M. 275

 McDonald, A.D. 439
 McDonald, J.C. 439
 McGuinness, A. 83
 McKernan, J.L. 67
 Malchaire, J. 347, 367
 Marion, S.A. 247
 Martin, P. 221
 Martinez, M. 543
 Mashingaidze, M.T. 513
 Mihlan, G. 485
 Miller, B.G. 143, 155, 167
 Milton, D.K. 43
 Money, C. 498^L
 Morigi, M.P. 117

 Nicholson, G.P. 257
 Nieuwenhuijsen, M.J. 35
 Nilsson, H. 329, 347
 Niven, R.McL. 107
 Noderer, K.S. 35
 Norman, J.B. 193
 Nylander-French, L.A. 99, 485

 Ohayo-Mitoko, G.J.A. 519
 Oldham, L.A. 107

 Olenchok, S. 35
 Ono-Ogasawara, M. 505
 Osvoll, P.O. 421

 Packham, C. 429^L
 Palmer, H. 83
 Parsons, K. 329
 Parsons, K.C. 297, 339, 347
 Patel, J. 471
 Pearson, J. 543
 Phillips, M.L. 201
 Pickering, C.A.C. 107
 Piette, A. 367
 Prodi, V. 117
 Proud, A. 543

 Rappaport, S.M. 99, 457
 Raynor, P.C. 181, 499
 Rimmer, D.A. 543
 Ritchie, A.S. 443
 Rossi, R.J. 193

 Savitz, D.A. 485
 Schenker, M.B. 35
 Schins, R.P.F. 7
 Schneider, T. 235
 Scobbie, E. 131
 Searl, A. 143, 155, 167
 Servais, M. 221
 Simpson, J.C.G. 107
 Soutar, C.A. 143, 155, 167
 Spear, R.C. 43
 Spear, T.M. 193
 Stancliffe, J.D. 393
 Susi, P. 457
 Swuste, P. 57

 Taylor, D. 457
 Teschke, K. 247, 381
 Thorpe, A. 443
 Thulin, H. 405

 Vallyathan, V. 35
 van Risseghem, M. 125
 van Wijngaarden, E. 485
 Vanhoorne, M. 125

 Wang, Y. 527
 Weaver, M. 457
 Woldbæk, T. 421
 Wu, J.-D. 43
 Wulf, D.T. 193

 Yang, N.-C. 275

 Zorin, S. 405

